



Alfresco
BI-FOLD SYSTEMS

**ALFRESCO BOTTOM ROLLING
BI-FOLD SYSTEMS**

 **JKA**
Commercial
Glazing





Functionality, Performance, Beauty:

The ALFRESCO Bottom Rolling Bi-Fold System opens the door to a whole new world.

ALFRESCO Bottom Rolling adds flair and flexibility to the widest range of applications, from the most modest Private Homes or Architecturally designed Residences to ambitious Retail Outlets, Restaurants or Commercial Projects.

ALFRESCO Bottom Rolling Bi-Fold System allows for the cost effective remodel or retrofit of any opening that previously had a sliding door. Now everyone can enjoy the benefits of folding doors, combining the pleasures of a seamless indoor/outdoor lifestyle with fingertip operation.

Versatile:

Inward or Outward opening configurations combined with the 90 degree postless corner option ensures Ezi operation that will give you uninterrupted views to the outside, allowing you to bring the outdoors in.

For Business or Pleasure:

The ALFRESCO Bottom Rolling Bi-Fold System enables you to create openings free of fixed glass panels, mullions or posts. Bifold Windows are suitable for a range of smaller Residential and Commercial openings including Counters and Serveries, as an alternative to conventional windows in bedrooms or living areas. Successfully bring the functionality and style of bifold technology to smaller scale openings.

New Technology:

Utilising Centor's new bottom rolling technology, quality folding doors and windows are within reach of every existing building and to every door and window manufacturer. Equally suited for easy installation by both DIYers and professionals, the patented system installs with simple hand and power tools and requires no structural changes to the building. With features such as Sill covers to avoid dirt collecting in the tracks, Guards which work like a snow plough to remove any debris and Drainage holes to flush away water and dust, the Alfresco Bottom Rolling system folding doors and windows can continue to open and close as new, long past their 10 year guarantee.

HARDWARE

centor®

Max panel weight 80kg.

Max opening 16mtrs.

Max panel height 2700mm each.

Max panel width 1000mm each.

Panel thicknesses 45mm.

Max number of panels 8 each way - 16 panels in total.

